Attorney Docket No. 0E-040013US/82410.0027

Request for Continued Examination dated October 31, 2007

## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

## **Listing of Claims:**

1-33. (Canceled)

34. (Currently Amended) A method of delivering energy to ablate tissue, comprising the steps of:

providing a device having an ablating element;

positioning the device at an epicardial tissue site, the tissue site having an epicardial near surface and an endocardial far surface;

heating or cooling the tissue site with a first, non-ablating quantity of energy delivered over a first period of time;

measuring a temperature change at the tissue site over a the first period of time; analyzing the temperature change over the first period of time to determine a temperature response of tissue at the tissue site;

characterizing the tissue based on the temperature response of the tissue, temperature responses of other known tissue types and the input of at least one variable from a list of variables consisting of presence of fat, amount of fat, flow rate of blood, tissue thickness and temperature of blood;

determining an ablation time interval and <u>a desired</u> temperature to be delivered by the ablating element based on the tissue characterization; <del>and</del>

activating the ablating element after the determining step is completed; and ablating the tissue with a second quantity of energy delivered over a second period of time as directed by the determining step.

35. (Currently Amended) The method of claim 34, wherein:
the analyzing and ablating steps are controlled by a control system; and
the ablating step being is carried out by maintaining the epicardial near surface
temperature at a temperature of 0-80°C during the ablating step.

Attorney Docket No. 0E-040013US/82410.0027

Request for Continued Examination dated October 31, 2007

36. (Currently Amended) The method of claim 34, wherein:

the providing step is carried out with the device having an ablating element; and the method also <u>includes</u> including the step of changing the temperature of the tissue with the ablating element; and

the ablating step is carried out with the ablating element.

- 37. (Canceled)
- 38. (Original) The method of claim 34, wherein:
  the ablating step is carried out using the results of the measuring step to approximate when the far surface achieves a target temperature.
- 39. (Canceled)
- 40. (Original) The method of claim 34, wherein: the ablating step is carried out with a plurality of ablating elements, wherein no more than 50% of the ablating elements are activated at one time.
- 41. (Original) The method of claim 34, wherein:

the providing step is carried out with the device having a plurality of suction wells, at least one of the ablating elements being positioned in each of the suction wells.

Claims 42-73 (Canceled)

74. (Currently Amended) A method of delivering energy to ablate tissue, comprising the steps of:

providing a device having an ablating element;

positioning the device at an epicardial tissue site, the tissue site having an epicardial near surface and an endocardial far surface;

Attorney Docket No. 0E-040013US/82410.0027

Request for Continued Examination dated October 31, 2007

applying a first, non-ablating quantity of energy to the tissue site;
measuring a temperature change at the tissue site over a <u>first</u> period of time;
analyzing the temperature change to determine a tissue characterization;
activating the ablating element after the determining step is completed;
subsequent to the tissue characterization, ablating the tissue using the ablating
element with a second quantity of energy based on the tissue characterization;

<u>ablating tissue at the tissue site with a second quantity of energy over a second</u> <u>period of time;</u> and

the ablating step being carried out with input from at least one variable from a list of variables consisting of presence of fat, amount of fat, flow rate of blood, tissue thickness and temperature of blood.

- 75. (Currently Amended) The method of claim 74, wherein:
  the analyzing and ablating steps are controlled by a control system; and
  the ablating step is being carried out by maintaining the epicardial near surface
  temperature at a temperature of 0-80°C during the ablating step.
- 76. (Currently Amended) The method of claim 74, wherein:
  the method further <u>comprises</u> <del>comprising</del> the step of changing the temperature of the tissue with the ablating element.
- 77. (Previously Presented) The method of claim 74, wherein:
  the ablating step is carried out using the results of the measuring step to
  approximate when the far surface achieves a target temperature.
- 78. (Previously Presented) The method of claim 74, wherein:
  the ablating step is carried out with a plurality of ablating elements, wherein no more than 50% of the ablating elements are activated at one time.
- 79. (Previously Presented) The method of claim 74, wherein:

Attorney Docket No. 0E-040013US/82410.0027

Request for Continued Examination dated October 31, 2007

the providing step is carried out with the device having a plurality of suction wells, at least one of the ablating elements being positioned in each of the suction wells.

- 80. (New) The method of claim 34, wherein, the first, non-ablating quantity of energy is cooling energy.
- 81. (New) The method of claim 74, wherein, the first, non-ablating quantity of energy is cooling energy.